


TNR 4 row Bleachers




FANSTAND 4 Row w/double footplank  
Tip N Roll Bleacher

Available in 9', 15' and 21' lengths

FIRST TEAM SPORTS, INC.  
FANSTAND 4 ROW BLEACHER  
TIP N ROLL  
FAN4-2FP-TNR

[www.TipNRollBleachers.com](http://www.TipNRollBleachers.com)

Tom Nicotera | 877.272.5430



FANSTAND 4 Row w/single footplank  
Tip N Roll Bleacher

Available in 9', 15' and 21' lengths

FIRST TEAM SPORTS, INC.  
FANSTAND 4 ROW BLEACHER  
TIP N ROLL  
FAN4-1FP-TNR

[www.TipNRollBleachers.com](http://www.TipNRollBleachers.com)

Tom Nicotera | 877.272.5430

### FanStand Tip N Roll Bleachers

Give your gym seating the versatility you need with First Team's new line of FanStand indoor tip-n-roll bleachers.

First Team's line of indoor tip-n-roll bleachers makes providing added spectator seating a breeze. All seats use 9 5/8" x 1 3/4" anodized aluminum planking. Walk planks are 9 5/8" x 1 3/4" mill finished aluminum. FanStand bleachers are available with single or double wide walk planks. 4" tip-n-roll wheels are secured to back seat support to make bleachers portable. Simply tilt bleacher backwards onto wheels to roll. First Team's FanStand bleachers so the highest seat level is below 30" above ground level, eliminating the need for safety railing. Basic framing is all welded structural angle with bolted cross bracing to maximize bleacher strength for end shift loads. Framing is spaced on six foot centers. 2 1/2" rubber floor protectors are used on the bottom of frame to protect finished floors. Steel under structure is powder coat painted black. Don't forget, First Team can custom powder coat seat planks and walk planks up to 21' in length. Available colors include: Scarlet, Royal Blue, Navy Blue, Forest Green, Kelly Green, Gold, Orange, Purple and White.

Choose the FanStand bleacher that meets your seating needs. See chart for seating capacity. All FanStand bleachers are covered by First Team's Lifetime Limited Warranty!

## **First Team® Seating and Scoring Warranty Information**

All First Team seating and scoring products are warranted against manufacturer's defects at delivery. Additionally, First Team warrants most products to the original retail customer for a given period of time as stated in the literature. Below is an explanation of First Team's warranty levels.

### **Limited Warranty:**

Limited warranty covers any damage or loss of structural strength due to conditions occurring under normal use. "Normal use" shall be defined as typical activity for which the bleacher, bench or table was designed. Limited warranty shall not cover overloads to the structure such as weight loads beyond stated seating capacity. Limited warranty does not cover acts of vandalism.

Any normal wear and tear caused by weathering, or UV exposure is not covered under any First Team warranty. All painted items carry a one year limited warranty on coating.

**FANSTAND 2, 3 & 4 Row Indoor Tip N Roll Bleachers**

1. Basic bleacher framework shall be constructed of ALL WELDED structural steel angle with bolted cross bracing for improved stability. All steel parts shall be powder coat painted. Seat planks and foot planks shall be 9 5/8" x 1 3/4" extruded aluminum. Seatplanks shall have a clear coat finish, foot planks shall be standard mill finish. When in use, bleacher shall rest on 2 1/2" diameter rubber footpads underneath each steel frame section. When in transport, unit shall rest on at least 4 non-marking 4" diameter swivel casters. Optional double-foot-planks shall be offered. Bleachers shall be available in lengths of 9', 15' and 21'. Bleachers shall be available in 2, 3 and 4 rows (see chart below for size options). All bleachers shall conform to 2002 IBC recommendations for bleachers and shall carry a Lifetime Limited Warranty.

Part #	Description	Seating Cap.	Wt./Lbs.
FAN2-TNR-1FP-9	2-ROW, SGL FOOTPLANK, 9' LONG	12	115
FAN2-TNR-2FP-9	2-ROW, DBL FOOTPLANK, 9' LONG	12	132
FAN2-TNR-1FP-15	2-ROW, SGL FOOTPLANK, 15' LONG	20	187
FAN2-TNR-2FP-15	2-ROW, DBL FOOTPLANK, 15' LONG	20	214
FAN2-TNR-1FP-21	2-ROW, SGL FOOTPLANK, 21' LONG	28	259
FAN2-TNR-2FP-21	2-ROW, DBL FOOTPLANK, 21' LONG	28	297
FAN3-TNR-1FP-9	3-ROW, SGL FOOTPLANK, 9' LONG	18	177
FAN3-TNR-2FP-9	3-ROW, DBL FOOTPLANK, 9' LONG	18	210
FAN3-TNR-1FP-15	3-ROW, SGL FOOTPLANK, 15' LONG	30	272
FAN3-TNR-2FP-15	3-ROW, DBL FOOTPLANK, 15' LONG	30	326
FAN3-TNR-1FP-21	3-ROW, SGL FOOTPLANK, 21' LONG	42	384
FAN3-TNR-2FP-21	3-ROW, DBL FOOTPLANK, 21' LONG	42	460
FAN4-TNR-1FP-9	4-ROW, SGL FOOTPLANK, 9' LONG	24	230
FAN4-TNR-2FP-9	4-ROW, DBL FOOTPLANK, 9' LONG	24	278
FAN4-TNR-1FP-15	4-ROW, SGL FOOTPLANK, 15' LONG	40	356
FAN4-TNR-2FP-15	4-ROW, DBL FOOTPLANK, 15' LONG	40	437
FAN4-TNR-1FP-21	4-ROW, SGL FOOTPLANK, 21' LONG	56	500
FAN4-TNR-2FP-21	4-ROW, DBL FOOTPLANK, 21' LONG	56	613